FIG.1


1
7
9
13
17
19
21
23
25
SCANNER
PLOTTER
ENCODING & DECODING
COMMUNICATION RESULT REPORT OUTPUT
TRANSMISSION END SOUND OUTPUT
STAMP MARK PRINTING
SPECIFIC DESTINATION NAME STORAGE
RECEIVING END IDENTIFYING
27
SYSTEM CONTROLLER
OPERATION & DISPLAY
SPECIFIC DESTINATION IDENTIFYING
COMMUNICATION CONTROLLER
MODEM
NETWORK CONTROL UNIT
NETWORK
3
5
15
11
29
31

FIG.2


START
101
START TRANSMISSION
103
SPECIFIC DESTINATION REGISTERED?
NO
YES
105
READING OF PAGE ENDED?
NO
YES
107
STAMP MARK TO BE PRINTED?
YES
109
PRINT STAMP MARK
NO
111
TRANSMISSION ENDED?
NO
YES
113
TRANSMISSION END SOUND TO BE OUTPUT?
YES
115
OUTPUT TRANSMISSION END SOUND
NO
117
COMMUNICATION RESULT REPORT TO BE OUTPUT?
YES
119
OUTPUT COMMUNICATION RESULT REPORT
NO
END

FIG.3



FIG.4

<TRANSMISSION CONFIRMATION CONDITIONS>	SET EACH ITEM
SPECIFIC DESTINATION: D2	
TRANSMISSION END SOUND: ON	2/3
MELODY SOUND: S1	
[↑ PREVIOUS ITEM] [↓ NEXT ITEM] [CANCEL] [SET]	

FIG.5

P.1

*** MEMORY TRANSMISSION RESULT REPORT (2002/10/19 14:24) ***

1) COMPANY R
2) DEPT.1

ACCEPTED TIME: 2002/10/19 14:03

FILE NO.	TRANSMITTING CONDITIONS	DESTINATION	DOCUMENT PAGES	RESULT
0162	MEMORY TRANSMISSION	G3: D2	2	OK

ERROR CONTENTS : e1) communication interrupted, e2) busy, e3) no response, e4) destination not facsimile